Smith Art

# **Material Safety Data Sheet**

Product Name:

LIQUITEX® ACRYLIC GESSO

**Product Family:** 

## 1. Chemical Product and Company Identification

ColArt Americas, Inc. 1100 Constitution Avenue PO Box 1396 Piscataway, NJ 08855 1-800-445-4278 SUBSTANCE: EMERGENCY TELEPHONE NUMBER: 1-800-628-3385

LIQUITEX® ACRYLIC GESSO

TRADE NAMES/SYNONYMS: LIQUITEX ACRYLIC GESSO

PRODUCT CODES: 5304; 5308; 5316; 5332; 5334; 5336

PRODUCT USE: Arts and Crafts

CREATION DATE: Nov 11 1997

REVISION DATE: 22<sup>nd</sup> December 2008

### 2. Composition, Information on Ingredients

COMPONENT:

Product has been certified as non-toxic by The Art and Creative Materials Institute, Inc. and conforms to ASTM D-4236 Standard Practice for Labeling Art Materials for Acute and Chronic Adverse Health Hazards.

CAS NUMBER: Not assigned.

EC NUMBER: Not assigned.

PERCENTAGE:

100

#### 3. Hazards Identification

None

EC CLASSIFICATION (CALCULATED): Not classified

EMERGENCY OVERVIEW:

COLOR: white

PHYSICAL FORM:

liquid

ODOR: fruity odor in appropriate container for disposal.

# 7. Handling and Storage

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

# 8. Exposure Controls, Personal Protection

#### **EXPOSURE LIMITS:**

LIQUITEX(R) ACRYLIC GESSO

No occupational exposure limits established.

#### **VENTILATION:**

Based on available information, additional ventilation is not required.

#### EYE PROTECTION:

Eye protection not required under normal conditions.

#### CLOTHING

Protective clothing is not required under normal conditions.

### GLOVES:

Protective gloves are not required under normal conditions.

#### RESPIRATOR:

No respirator is required under normal conditions of use. Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

### 9. Physical and Chemical Properties

PHYSICAL STATE:

liquid

COLOR:

white

TEXTURE:

viscous

ODOR:

fruity odor

**BOILING POINT:** 

> 100

FREEZING POINT:

Not available

VAPOR PRESSURE:

Not available

VAPOR DENSITY: ( Air =1 )

>1

SPECIFIC GRAVITY:

1.5

WATER SOLUBILITY:

Dilutable

| SARA SECTION 304 (40CFR355.40):<br>No                        |  |
|--|--|
| SARA SECTION 313 (40CFR372.65):<br>No                        |  |
| SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21): |  |
| ACUTE:<br>No   |  |
| CHRONIC:<br>No   |  |
| FIRE:<br>No  |  |
| REACTIVE:<br>No  |  |
| SUDDEN RELEASE:<br>No  |  |
| OSHA PROCESS SAFETY (29CFR1910.119):<br>No                   |  |
| STATE REGULATIONS:   |  |
| California Proposition 65:<br>No                             |  |
| EUROPEAN REGULATIONS:  |  |
| EC NUMBER:<br>Not applicable                                 |  |

# 16. Other Information

The information contained herein is provided for identification of hazards in normal use and does not constitute a product specification.