Material Safety Data Sheet

Complies with OSHA's Hazard Communication Standard 29 CFR 1910.1200

NFPA Fire: 3 Health: 2 Reactivity: 0

SECTION I - IDENTITY AND MANUFACTURER'S INFORMATION

Company Name, Address: The Fuller Brush Company - P.O. Box 729 - Great Bend, KS 67530

Product Name: Solvent Based Stainless Steel Cleaner

EPA Reg. No: N/A

Preparer: Tom Keyse

Chemical Family: Pressurized emulsion with petroleum distillates

Emergency Telephone No. (620) 792-1711 Date: 4/11/05

Product Number: 9178 Package Size: 15 oz; 425 g

International:

Hazardous Components	CAC#	00114		Control (Annual Control (Annual Control
TALLE GOOD COMPONION	CAS#	OSHA TWA	ACGIH TWA	Percen
Petroleum distillates	64742-47-8	400 ppm	400 ppm	>50
Vhite mineral oil	8042-47-5	5 mg/m3	5 mg/m3	<30
sobutane	75-28-5	1000 ppm	800 ppm	1000000
Propane	74-98-6	1000 ppm	1000 ppm	> 8 < 7

No Physical Hazards Combustible Compressed Gas Solubility in Water: Dispersible Compressible Compressed Gas Solubility in Water: Dispersible Compressible Compressed Gas Solubility in Water: Dispersible Compressed Gas Combustion Compressed Gas Solubility in Water: Dispersible Compressible Compressed Gas Combustion Compressed Gas Solubility in Water: Dispersible Compressible Compressible Compressed Gas Solubility in Water: Dispersible Compressible Compres	SECTION III - PHYSICAL AND CHEMICAL CHARACTERISTICS
Boiling Point, °F: Compressed Gas Solubility in Water: Dispersible Evaporation Rate: Unknown Vapor Pressure: 35 psig Specific Gravity (water =1): 0.806 pH: N/A Vapor Density: Unknown %Volatiles by Weight: <72 Appearance and Odor: White emulsion, characteristic odor SECTION IV - FIRE AND EXPLOSION HAZARD DATA Flash Point (Method): 177 F (Liq) TCC Flammable Limits: LEL: Unknown Extinguishing Media: CO2, Water Foam, Dry Chemical, ABC fire extinguisher Special Fire Keep aerosols cooled with water to prevent bursting Fighting Procedures: Unusual Fire and Explosion Hazards: Flammable Aerosols: Temperatures in excess of 120F may cause bursting. In the event of fire ruptured cans contribute flammable materials. Contents under pressure. SECTION V - REACTIVITY DATA Stability: Unstable Stable X Conditions to Avoid: NA Incompatibility: Strong oxiders. Do not mix with any other material. (Materials to Avoid) With extreme heat or fire, releases typical hydrocarbon decomposition by-products. Hazardous Polymerization: May Occur: Will Not Occur: X Conditions to Avoid:	No Physical Hazards
Flash Point (Method): 177 F (Liq) TCC Flammable Limits: LEL: Unknown Extinguishing Media: CO2, Water Foam, Dry Chemical, ABC fire extinguisher Special Fire Keep aerosols cooled with water to prevent bursting Fighting Procedures: Unusual Fire and Explosion Hazards: Flammable Aerosols: Temperatures in excess of 120F may cause bursting. In the event of fire ruptured cans contribute flammable materials. Contents under pressure. SECTION V - REACTIVITY DATA Stability: Unstable Stable X Conditions to Avoid: NA Stable X With extreme heat or fire, releases typical hydrocarbon decomposition Products or Byproducts: Hazardous Polymerization: May Occur: Will Not Occur: X Conditions to Avoid: Na Occur: Will Not Occur: X Conditions to Avoid: Nay Occur: Will Not Occur: X Conditions to Avoid: Nay Occur: Will Not Occur: X Conditions to Avoid: Nay Occur: Will Not Occur: X Conditions to Avoid: Nay Occur: Will Not Occur: X Conditions to Avoid: Nay Occur: Will Not Occur: X Conditions to Avoid: Nay Occur: Will Not Occur: X Conditions to Avoid: Nay Occur: Will Not Occur: X Conditions to Avoid: Nay Occur: Will Not Occur: X Conditions to Avoid: Nay Occur: Will Not Occur: X Conditions to Avoid: Nay Occur: Will Not Occur: X Conditions to Avoid: Nay Occur: Will Nay Occur: X Conditions to Avoid:	Boiling Point, °F: Compressed Gas Solubility in Water: Dispersible Evaporation Rate: Unknown Vapor Pressure: 35 psig Specific Gravity (water =1): 0.806 pH: N/A
Flash Point (Method): Extinguishing Media: Special Fire Fighting Procedures: Unusual Fire and Explosion Hazards: Stability: Unstable Stable Incompatibility: (Materials to Avoid) Hazardous Decomposition Products or Byproducts: Hazardous Polymerization: Conditions to Avoid: May Occur: Will Not Occur: Will Year Accurate Variable on Variable on Variable on Va	Appearance and Odor: White emulsion, characteristic odor
Special Fire Keep aerosols cooled with water to prevent bursting Fighting Procedures: Unusual Fire and Explosion Hazards: Unusual Fire and Explosion Hazards: SECTION V - REACTIVITY DATA Stability: Unstable Stable X Incompatibility: (Materials to Avoid) Hazardous Decomposition Products or Byproducts: Hazardous Polymerization: Conditions to Avoid: May Occur: Will Not Occur: X Will Not Occur: X Comments:	SECTION IV - FIRE AND EXPLOSION HAZARD DATA
Fighting Procedures: Unusual Fire and Explosion Hazards: SECTION V - REACTIVITY DATA Stability: Unstable Stable X Incompatibility: Strong oxiders. Do not mix with any other material. (Materials to Avoid) Hazardous Decomposition Products or Byproducts: Hazardous Polymerization: May Occur: Will Not Occur: X Conditions to Avoid: Will Not Occur: X Comments:	Flash Point (Method): 177 F (Liq) TCC Flammable Limits: LEL: Unknown UEL: Unknown Extinguishing Media: CO2, Water Foam, Dry Chemical, ABC fire extinguisher
Stability: Unstable X Conditions to Avoid: NA Stable X Incompatibility: Strong oxiders. Do not mix with any other material. (Materials to Avoid) Hazardous Decomposition Products or Byproducts: Hazardous Polymerization: May Occur: Will Not Occur: X Conditions to Avoid:	Fighting Procedures:
Stability: Unstable Stable x Conditions to Avoid: NA Incompatibility: Strong oxiders. Do not mix with any other material. (Materials to Avoid) Hazardous Decomposition Products or Byproducts: Hazardous Polymerization: May Occur: Will Not Occur: X Conditions to Avoid:	Explosion Hazards: remperatures in excess of 120F may cause bursting. In the event of fire ruptured cans contribute flammable materials. Contents under pressure.
Stable x Incompatibility: Strong oxiders. Do not mix with any other material. (Materials to Avoid) Hazardous Decomposition Products or Byproducts: Hazardous Polymerization: May Occur: Will Not Occur: x Conditions to Avoid:	SECTION V - REACTIVITY DATA
(Materials to Avoid) Hazardous Decomposition Products or Byproducts: Hazardous Polymerization: May Occur: Will Not Occur: X Conditions to Avoid:	
Products or Byproducts: Hazardous Polymerization: May Occur: Will Not Occur: x Conditions to Avoid:	
Conditions to Avoid:	Hazardous Decomposition With extreme heat or fire, releases typical hydrocarbon decomposition by-products. Products or Byproducts:
	Comments: Volatile Organic Compounds (VOC)=15%

SECTION VI - HEALTH HAZARD DATA	9178
Route (s) of entry: Inhalation x Skin: x Eye: x Ingestion: x	
No Health Hazard Reproductive toxin Sensitizer	
Toxic Irritant Carcinogen Highly Toxic Corrosive See Target Organs x	
TARGET ORGANS See Target Organs [x]	_
Lungs x Eyes x Blood Teratogen Mucous Membrane	es x
Heart Skin x Liver Central Nervous System X Autonomic Nervous System	m 🗌
Kidney Prostate Mutagen Cardiovascular System Respiratory System Carcinogenicity: None Known X NTP: IARC: OSHA Regulated	m x
Carcinogenicity: None Known x NTP: IARC: OSHA Regulated Medical Conditions Generally Aggravated by Exposure: None known.	
Signs and Symptoms of Exposure: May cause eye or skin irritation, dizziness, nausea, anesthetic effects. Aspiration may produce pulmonary complication	s.
Emergency and First Aid Procedures:	
In case of contact in eyes or on skin, immediately rinse with water for 15 minutes. Call a physician if irritation persists. It	f inhaled.
remove to fresh air. If swallowed, DO NOT induce vomiting. Call a physician immediately.	,
SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE	
Steps to be taken in case material is released or spilled: Eliminate all ignition sources. Mop up, rinse with detergent and water.	
Limitate an ignition sources, wor up, thise with detergent and water.	
Wasta Disposal Mathed:	
Waste Disposal Method: Do not puncutre or incinerate. For single units, wrap in newspaper and dispose in trash container. Dispose in accordance of the container of the contain	
Local, State and Federal Regulations.	ce with
D.L. C.LEDALL.	
Potential EPA Hazardous Waste Code(s): D001	
Steps to be taken in handling and storage: NFPA "Level 3 Aerosols". Do not spray near heat, sparks or open flame. Store at 40-90 F. Read and follow label use directions. Keep out of reach of children.	
SECTION VIII - CONTROL MEASURES	XI 104 11 11
Respiratory Protection(Specify Type): Not required.	
Ventilation: Local Exhaust: Recommended Special: Not required. Mechanical: Not required.	
Protective Gloves: Recommended Eye Protection: Recommended.	
Other Protective Clothing and Equipment: Not required.	
SECTION IX - SHIPPING INFORMATION	
DOT Proper Shipping Name and Number: Consummer Commodity, ORM-D	
NE = Not Established '/A = Not Applicable	