SUMMIT

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name

Lime Out Stain Remover

CAS#

Mixture

Product use

Calcium and Lime Scale Stain Remover

Manufacturer Iron Out dba Summit Brands

7201 Engle Road

Fort Wayne, IN 46804-5875 US

Phone: 260-483-2519

Emergency Phone: 1-800-424-9300 (CHEMTREC)

LEGEND
HMIS/NFPA

Severe 4
Serious 3
Moderate 2
Slight 1
Minimal 0





2. Hazards Identification

Emergency overview

DANGER -- CORROSIVE

Potential short term health effects

Routes of exposure

Eye, Skin contact, Inhalation, Ingestion.

Eyes

Causes chemical burns. May cause blindness.

Skin

Causes chemical burns.

Inhalation

May cause respiratory tract irritation.

Ingestion

Harmful if swallowed. May cause chemical burns to mouth, throat and stomach.

Target organs

Eyes. Respiratory system. Skin.

Chronic effects

Prolonged or repeated exposure to dilutions can cause drying, defatting and dermatitis.

Signs and symptoms

The product causes burns of eyes, skin and mucous membranes.

OSHA Regulatory Status

This product is a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

Potential environmental effects

Components of this product have been identified as having potential

environmental concerns.

3. Composition / Information on Ingredients

Ingredient(s)	CAS#	Percent
Citric acid	77-92-9	3 - 7
Hydrogen chloride	7647-01-0	3 - 7
Lactic Acid	79-33-4	3 - 7

4. First Aid Measures

First aid procedures

Eye contact Immediately flush with cool water. Remove contact lenses, if applicable, and continue

flushing for 15 minutes. Obtain medical attention immediately.

Skin contact Immediately flush with cool water for 15 minutes while removing contaminated clothing

and shoes. Discard or wash well before reuse. Obtain medical advice immediately.

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical

attention.

Ingestion Do not induce vomiting. Never give anything by mouth if victim is unconscious, or is

convulsing. Obtain medical attention.

General advice	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.			
5. Fire Fighting Measures				
Flammable properties	Not flammable by WHMIS/OSHA criteria.			
Extinguishing media				
Suitable extinguishing media	Dry chemical. Foam. Carbon dioxide. Fog.			
Unsuitable extinguishing media	Not available			
Protection of firefighters				
Specific hazards arising from the chemical	Not available			
Protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.			
Hazardous combustion products	May include and are not limited to: Oxides of carbon. Hydrogen chloride.			
Explosion data				
Sensitivity to mechanical impact	Not available			

Sensitivity to static discharge	Not available
	6. Accidental Release Measures
Personal precautions	Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas.
Methods for containment	Stop leak if you can do so without risk.
Methods for cleaning up	Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency

containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills to original containers for re-use.

Handling Use good industrial hygiene practices in handling this material. Do not get in eyes, on skin or on clothing. Avoid breathing vapors or mists of this product. Wash thoroughly after handling. Keep out of the reach of children. Store in a closed container away from incompatible **Storage** materials.

7. Handling and Storage

8. Exposure Controls / Personal Protection

or Expedition 7. Greenal Frontier			
Exposure limits			
Ingredient(s)	Exposure Limits		
Citric acid	ACGIH-TLV		
	TWA: 10 mg/m3		
	OSHA-PEL		
	TWA: 10 mg/m3		
Hydrogen chloride	ACGIH-TLV		
	Ceiling: 2 ppm		
	OSHA-PEL		
	Ceiling: 5 ppm		
Lactic Acid	ACGIH-TLV		
	Not established		
	OSHA-PEL		
	Not established		

Engineering controls

Personal protective equipment

Use only under good ventilation conditions or with respiratory protection.

Eye / face protection

Hand protection

Wear chemical goggles.

Rubber gloves. Confirm with a reputable supplier first.

Skin and body protection

As required by employer code. Rubber apron recommended.

Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

General hygiene considerations Use good industrial hygiene practices in handling this material. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

Appearance Clear. Color Blue **Form** Liquid Odor Lime.

Odor threshold Not available Physical state Liquid pН 0.6 - 1.1

Melting point Not available Freezing point Not available **Boiling point** Not available Pour point Not available **Evaporation rate** Not available

Flash point

Auto-ignition temperature

Not available

None

Flammability limits in air, lower, %

Not available

by volume Flammability limits in air, upper, %

by volume

Not available

Vapor pressure Not available Vapor density Not available Specific gravity 1.01 - 1.05

Octanol/water coefficient Not available **Viscosity** 70 - 125 CPs Percent volatile Not available

10. Stability and Reactivity

Reactivity

Reacts vigorously with alkaline material. This product may react with reducing agents.

Possibility of hazardous reactions

Hazardous polymerization does not occur.

Chemical stability Conditions to avoid Stable under recommended storage conditions. Do not mix with bleach or any other chemical.

Incompatible materials

Caustics. Oxidizers. Bases. Reducing agents.

Hazardous decomposition products

May include and are not limited to: Oxides of carbon. Hydrogen chloride.

11. Toxicological Information

Component analysis - LC50 Ingredient(s)

LC50

Citric acid Not available

Hydrogen chloride 935 ppm mouse; 3124 mg/l/4h rat

Lactic Acid Not available

Component analysis - Oral LD50 Ingredient(s) **LD50** Citric acid 5040 mg/kg mouse; 3000 mg/kg rat Hydrogen chloride 900 mg/kg rabbit; 700 mg/kg rat Lactic Acid 1810 mg/kg guinea pig; 3543 mg/kg rat; 4875 mg/kg mouse Effects of acute exposure Eye Causes chemical burns. May cause blindness. Skin Causes chemical burns. Inhalation May cause respiratory tract irritation. Ingestion Harmful if swallowed. May cause chemical burns to mouth, throat and stomach. Sensitization Not classified or listed by IARC, NTP, OSHA and ACGIH. **Chronic effects** Not classified or listed by IARC, NTP, OSHA and ACGIH. Carcinogenicity **ACGIH - Threshold Limit Values - Carcinogens** Hydrogen chloride 7647-01-0 A4 - Not Classifiable as a Human Carcinogen IARC - Group 3 (Not Classifiable) Hydrogen chloride 7647-01-0 Monograph 54 [1992] Mutagenicity Not classified or listed by IARC, NTP, OSHA and ACGIH. Reproductive effects Not classified or listed by IARC, NTP, OSHA and ACGIH. **Teratogenicity** Not classified or listed by IARC, NTP, OSHA and ACGIH. Name of Toxicologically Synergistic Not available **Products** 12. Ecological Information **Ecotoxicity** Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems. Ecotoxicity - Freshwater Algae - Acute Toxicity Data 70 Hr EC50 Pseudokirchneriella subcapitata: 3.5 mg/L Ecotoxicity - Freshwater Fish - Acute Toxicity Data Citric acid 77-92-9 96 Hr LC50 Lepomis macrochirus: 1516 mg/L [static] Hydrogen chloride 7647-01-0 96 Hr LC50 Gambusia affinis: 282 mg/L [static] Lactic Acid 96 Hr LC50 Brachydanio rerio: 320 mg/L [semi-static]; 96 Hr LC50 Lepomis macrochirus: 79-33-4 100-180 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 100-180 mg/L [static] **Ecotoxicity - Water Flea - Acute Toxicity Data** Citric acid 77-92-9 72 Hr EC50 Daphnia magna: 120 mg/L Lactic Acid 48 Hr EC50 Daphnia magna: 240 mg/L; 48 Hr EC50 Daphnia magna: 180 - 320 mg/L 79-33-4 [Static] Persistence / degradability Not available Bioaccumulation / accumulation Not available Mobility in environmental media Not available **Environmental effects** Not available Aquatic toxicity Not available Partition coefficient Not available Chemical fate information Not available Other adverse effects Not available 13. Disposal Considerations

Disposal instructions Waste from residues / unused Review federal, state/provincial, and local government requirements prior to disposal.

products

Not available

Contaminated packaging

Not available

14. Transport Information

U.S. Department of Transportation (DOT)

Basic shipping requirements:

Proper shipping name

Corrosive liquids, n.o.s.

(1,2,3-PROPANETRICARBOXYLIC ACID,

2-HYDROXY-)

Hazard class

8

UN number

UN1760

Packing group

Additional information:

Special provisions

B2, IB2, T11, TP2, TP27

Packaging exceptions

154

ERG number

154

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

Proper shipping name

CORROSIVE LIQUID, N.O.S.

(1,2,3-PROPANETRICARBOXYLIC ACID,

2-HYDROXY-)

Hazard class

UN number

UN1760

Packing group

н

Additional information:

Special provisions

16



15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Canada - WHMIS - Ingredient Disclosure List

Citric acid

77-92-9 7647-01-0

1% 1 %

Hydrogen chloride

Controlled

WHMIS classification

Class E - Corrosive Material

WHMIS labeling

WHMIS status



#7846

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous

Yes

chemical

Page 5 of 7

US Federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

Hydrogen chloride

7647-01-0

5000 Lb final RQ; 2270 kg final RQ

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

Hydrogen chloride

7647-01-0

5000 Lb EPCRA RQ (gas only)

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

Hydrogen chloride

7647-01-0

500 Lb TPQ (gas only)

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

Hydrogen chloride

7647-01-0

1.0 % de minimis concentration (acid aerosols including mists, vapors, gas, fog, and other

airborne forms of any particle size)

U.S. - CWA (Clean Water Act) - Hazardous Substances

Hydrogen chloride

7647-01-0

Present

CERCLA (Superfund) reportable quantity

Hydrogen chloride: 5000.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No. Reactivity Hazard - No

Section 302 extremely

hazardous substance

Section 311 hazardous chemical Yes

Clean Air Act (CAA)

Not available

Clean Water Act (CWA)

Not available

State regulations

This product does not contain a chemical known to the State of California to cause

cancer, birth defects or other reproductive harm.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Hydrogen chloride

7647-01-0

Present

U.S. - Illinois - Toxic Air Contaminants

Hydrogen chloride

7647-01-0

Present (aerosol)

U.S. - Louisiana - Reportable Quantity List for Pollutants

Hydrogen chloride

7647-01-0

5000 Lb RQ (applies to unauthorized emissions based on total mass emitted into or onto all media within any consecutive 24-hour period); 1000 lb RQ (applies to unauthorized

emissions based on total mass emitted into the atmosphere)

U.S. - Massachusetts - Right To Know List

Hydrogen chloride

7647-01-0

Extraordinarily hazardous

U.S. - Minnesota - Hazardous Substance List

Hydrogen chloride

7647-01-0

Present

U.S. - New Jersey - Right to Know Hazardous Substance List Hydrogen chloride 7647-01-0

sn 1012

U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances

Hydrogen chloride

7647-01-0

5000 Lb RQ (air); 100 lb RQ (land/water)

U.S. - North Carolina - Control of Toxic Air Pollutants

Hydrogen chloride

7647-01-0

0.7 mg/m3 (acute irritants) U.S. - Ohio - Extremely Hazardous Substances - Threshold Quantities

Hydrogen chloride 7647-01-0

500 Lb TQ (gas only)

U.S. - Pennsylvania - RTK (Right to Know) List

Hydrogen chloride

7647-01-0

Environmental hazard

U.S. - Rhode Island - Hazardous Substance List

Hydrogen chloride

7647-01-0

Toxic; Flammable

Inventory name

Country(s) or region

Inventory name

On inventory (yes/no)*

Canada Canada

Domestic Substances List (DSL)

Yes

United States & Puerto Rico

Non-Domestic Substances List (NDSL) Toxic Substances Control Act (TSCA) Inventory

No Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer The data contained in this material safety data sheet was obtained from sources that

were technically accurate, reliable, and state of the art when this document was prepared. If data was unavailable to complete certain sections, the absence of that data

is identified in this document. Because the supplier cannot know the exact

circumstances during actual use of this product, other hazards, exposure scenarios, disposal considerations, and regulations may apply and it is the responsibility of the user to read and understand the product label and this document before use. Do not

use the product for purposes other than those stated in Section 1.

 Issue date
 22-Jun-2011

 Effective date
 31-Aug-2011

Expiry date 31-Aug-2014

Prepared by Dell Tech Laboratories Ltd. (519) 858-5021

Other information For an updated MSDS, please contact the supplier/manufacturer listed on the first

page of the document.