

**Section: 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : DIGISAN AEROSOL FOAM HAND SANITIZER

Other means of identification : Not applicable.

Recommended use : Skin antiseptic

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company  
Ecolab Gulf FZE  
P.O. Box 17063  
Jebel Ali Free Zone Area, Near Container Terminal 3 - North Zone  
Dubai  
UAE  
00971 4 8014444 Customer Services, 00971 48146800 00971 4  
8014000 Reception phone numbers

Nalco Egypt Trading  
5th Settlement, South 90th St.  
The Address Building No 67th – 1st floor  
New Cairo, Cairo, Egypt11835  
0020 2 25 37 1195,

Ecolab Maroc S.A.R.L.  
Batiment, Lot. Mounir 1, Parc Industriel  
Attawfik  
Route 1029  
Sidi Maarouf, Casablanca, Morocco  
00212 22 58 25 30 - 35,

Emergency telephone number : +32-(0)3-575-5555 Trans-European number

Issuing date : 24.02.2021

**Section: 2. HAZARDS IDENTIFICATION****GHS Classification**

Flammable aerosols : Category 2  
Eye irritation : Category 2A  
Specific target organ toxicity - single exposure : Category 3 (Central Nervous System)

**GHS Label element**

Hazard pictograms :



Signal Word : Warning

# SAFETY DATA SHEET

## DIGISAN AEROSOL FOAM HAND SANITIZER

- Hazard Statements : Flammable aerosol.  
Causes serious eye irritation.  
May cause drowsiness or dizziness.
- Precautionary Statements : **Prevention:**  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/ gas/ mist/ vapours/ spray. Use only outdoors or in a well-ventilated area. Intentional misuse by deliberate inhalation may be harmful or fatal.  
**Response:**  
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.  
**Storage:**  
Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.  
**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.
- Other hazards : None known.

### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
ethanol	64-17-5	30 - 60
isobutane	75-28-5	1 - 5
glycerin	56-81-5	1 - 5
difluoroethane	75-37-6	1 - 5

### Section: 4. FIRST AID MEASURES

- In case of eye contact : Rinse with water.
- In case of skin contact : Rinse with water.
- If swallowed : Rinse mouth. Get medical attention if symptoms occur.
- If inhaled : Get medical attention if symptoms occur.
- Protection of first-aiders : No special precautions are necessary for first aid responders.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

### Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

# SAFETY DATA SHEET

## DIGISAN AEROSOL FOAM HAND SANITIZER

circumstances and the surrounding environment.

- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Fire Hazard  
Keep away from heat and sources of ignition.  
Flash back possible over considerable distance.  
Pressurized container: May burst if heated.  
Flammable aerosols
- Hazardous combustion products : Decomposition products may include the following materials:  
Carbon oxides  
Halogenated compounds
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

### Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so.

### Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Contents under pressure. Do not puncture.
- Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Storage temperature : 0 °C to 40 °C

### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
ethanol	64-17-5	TWA	1,000 ppm 1,880 mg/m <sup>3</sup>	ARE OEL
ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m <sup>3</sup>	NIOSH REL

## SAFETY DATA SHEET

### DIGISAN AEROSOL FOAM HAND SANITIZER

		TWA	1,000 ppm 1,900 mg/m <sup>3</sup>	OSHA Z1
isobutane	75-28-5	TWA	800 ppm	ARE OEL
		TWA	800 ppm	ARE OEL
isobutane	75-28-5	TWA	800 ppm 1,900 mg/m <sup>3</sup>	NIOSH REL
		STEL	1,000 ppm	ACGIH
glycerin	56-81-5	TWA (Mist)	10 mg/m <sup>3</sup>	BH OEL
glycerin	56-81-5	TWA (Mist)	10 mg/m <sup>3</sup>	ARE OEL
glycerin	56-81-5	TWA	10 mg/m <sup>3</sup>	ACGIH
		TWA (respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z1
difluoroethane	75-37-6	TWA	1,000 ppm	AIHA WEEL

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

Hygiene measures : No specific measures identified.

#### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol.
Colour	: opaque, white
Odour	: alcohol-like
pH	: 6.4 - 6.7, (100 %)
Flash point	: 13 °C closed cup
Odour Threshold	: no data available
Melting point/freezing point	: no data available
Initial boiling point and boiling range	: no data available
Evaporation rate	: no data available
Flammability (solid, gas)	: Not applicable.
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available

## SAFETY DATA SHEET

### DIGISAN AEROSOL FOAM HAND SANITIZER

Relative vapour density	: no data available
Relative density	: 0.88 - 0.9
Water solubility	: no data available
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, kinematic	: no data available
Explosive properties	: no data available
Oxidizing properties	: no data available
Molecular weight	: no data available
VOC	: no data available
Heat of combustion	: 16.24 kJ/g

#### Section: 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: None known.
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides Halogenated compounds

#### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Eye contact Skin contact
--	-------------------------------

##### Potential Health Effects

Eyes	: Causes serious eye irritation.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Inhalation may cause central nervous system effects. Intentional misuse by deliberate inhalation may be harmful or fatal.
Chronic Exposure	: Health injuries are not known or expected under normal use.

## SAFETY DATA SHEET

### DIGISAN AEROSOL FOAM HAND SANITIZER

#### Experience with human exposure

Eye contact	: Redness, Pain, Irritation
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: Dizziness, Drowsiness

#### Toxicity

##### Product

Acute oral toxicity	: no data available
Acute inhalation toxicity	: no data available
Acute dermal toxicity	: no data available
Skin corrosion/irritation	: no data available
Serious eye damage/eye irritation	: no data available
Respiratory or skin sensitization	: no data available
Carcinogenicity	: no data available
Reproductive effects	: no data available
Germ cell mutagenicity	: no data available
Teratogenicity	: no data available
STOT - single exposure	: no data available
STOT - repeated exposure	: no data available
Aspiration toxicity	: no data available

##### Components

Acute oral toxicity	: ethanol LD50 rat: 10,470 mg/kg
	glycerin LD50 rat: 18,300 mg/kg

##### Components

Acute inhalation toxicity	: ethanol 4 h LC50 rat: 117 mg/l Test atmosphere: vapour
	difluoroethane 4 h LC50 rat: > 437,500 mg/l Test atmosphere: gas

##### Components

Acute dermal toxicity	: ethanol LD50 rabbit: 15,800 mg/kg
	glycerin LD50 rabbit: 23,000 mg/kg

# SAFETY DATA SHEET

## DIGISAN AEROSOL FOAM HAND SANITIZER

### Section: 12. ECOLOGICAL INFORMATION

#### Toxicity

Environmental Effects : This product has no known ecotoxicological effects.

#### Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

#### Components

Toxicity to fish : ethanol  
96 h LC50 Pimephales promelas (fathead minnow): > 100 mg/l  
  
glycerin  
96 h LC50 Fish: 855 mg/l

#### Components

Toxicity to daphnia and other aquatic invertebrates : ethanol  
48 h EC50 Aquatic Invertebrate: 857 mg/l

#### Persistence and degradability

Biodegradable

#### Bioaccumulative potential

no data available

#### Mobility in soil

no data available

#### Other adverse effects

no data available

### Section: 13. DISPOSAL CONSIDERATIONS

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

### Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (ADR/ADN/RID)

UN number : 1950  
UN proper shipping name : AEROSOLS  
Transport hazard class(es) : 2

# SAFETY DATA SHEET

## DIGISAN AEROSOL FOAM HAND SANITIZER

Environmental hazards : No  
Special precautions for user : None

### Sea transport (IMDG/IMO)


UN number : 1950  
Description of the goods : AEROSOLS  
Class : 2.1  
Marine pollutant : No

### Section: 15. REGULATORY INFORMATION

For Regulatory information please contact your Ecolab sales representative.

### Section: 16. OTHER INFORMATION

#### NFPA:



#### HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 24.02.2021  
Version : 1.4  
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.