# #13 Graph Art

## **Material Safety Data Sheet**

Revision Date: 12/12/2012 000000025621/Version: 1.5 Print Date: 02/14/2013

Page: 1/9



## 1. Identification of the substance/mixture and of the company/undertaking

**Product name:** KODAK Developer D-76, Working Solution

Product code: 1464817 - Working Solution

Supplier: EASTMAN KODAK COMPANY, 343 State Street, Rochester, New York 14650

For Emergency Health, Safety & Environmental Information, call (585) 722-5151 (USA)

For further information about this product, call (800) 242-2424.

Synonyms: None.

Product Use: photographic processing chemical (developer/activator), For industrial use only.

## 2. Hazards identification

**CONTAINS:** Sodium sulphite (7757-83-7), Hydroquinone (123-31-9), Bis(4-hydroxy-N-methylanilinium) sulphate (55-55-0)

WARNING!

CAUSES SKIN AND EYE IRRITATION
MAY CAUSE ALLERGIC SKIN REACTION
MAY BE HARMFUL IF SWALLOWED

HMIS III Hazard Ratings: Health - 2, Flammability - 0, Physical Hazard - 0

NFPA Hazard Ratings: Health - 3, Flammability - 0, Instability - 0

NOTE: HMIS III and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

## 3. Composition/information on ingredients

Weight	Components - (CAS-No.)
percent	•
5 - 10	Sodium sulphite (7757-83-7)
0.1 - < 1	Bis(4-hydroxy-N-methylanilinium) sulphate (55-55-0)
0.1 - < 0.5	Hydroquinone (123-31-9)

Revision Date: 12/12/2012 000000025621/Version: 1.5 Print Date: 02/14/2013

Page: 2/9

#### 4. First aid measures

Inhalation: If symptomatic, move to fresh air. Get medical attention if symptoms occur.

**Eyes:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.

**Skin:** In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before re-use. Destroy or thoroughly clean contaminated shoes.

**Ingestion:** If swallowed, DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.

## 5. Fire-fighting measures

**Extinguishing Media:** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Special Fire-Fighting Procedures:** Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may produce hazardous decomposition products.

**Hazardous Combustion Products:** None (noncombustible), (see also Hazardous Decomposition Products sections.)

Unusual Fire and Explosion Hazards: None.

#### 6. Accidental release measures

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination.

## 7. Handling and storage

**Personal precautions:** Avoid breathing mist or vapour at concentrations greater than the exposure limits. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Prevention of Fire and Explosion: No special technical protective measures required.

**Storage:** Keep container tightly closed. Keep away from incompatible substances (see Incompatibility section.)

Revision Date: 12/12/2012 000000025621/Version: 1.5 Print Date: 02/14/2013

0-------

Page: 3/9

## 8. Exposure controls/personal protection

Occupational expo	sure controls				
Chemical Name	Regulatory	Value Type	Value		
	List				
Hydroquinone	ACGIH	time weighted average	1 mg/m3		
	OSHA	time weighted average	2 mg/m3		
Sulphur dioxide	ACGIH	Short term exposure limit	0.25 ppm		
	OSHA	time weighted average	5 ppm 13 mg/m3		

**Ventilation:** Good general ventilation should be used. Ventilation should be sufficient so that applicable occupational exposure limits are not exceeded. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances.

Respiratory protection: None should be needed. If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. Respirator type: Acid gas/N95 Particulate Filter. If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

Eye protection: Wear safety glasses with side shields (or goggles).

Hand protection: Wear impervious gloves and protective clothing appropriate for the risk of exposure.

## 9. Physical and chemical properties

Physical form: liquid

Colour: colourless

Odour: slight

Specific gravity: 1.08 - 1.09

Vapour pressure: 24 mbar (18.0 mm Hg)

Vapour density: 0.6

Boiling point/boiling range: > 100 °C (212.0 °F)

Water solubility: complete

pH: 8.5

Revision Date: 12/12/2012 000000025621/Version: 1.5 Print Date: 02/14/2013

Page: 4/9

Flash point: does not flash

## 10. Stability and reactivity

Stability: Stable under normal conditions.

Incompatibility: Acids. Contact with strong acids liberates sulphur dioxide.

Hazardous decomposition products: Sulphur oxides

Hazardous Polymerization: Hazardous polymerisation does not occur.

## 11. Toxicological information

#### Effects of Exposure

#### General advice:

Contains: Hydroquinone. There is insufficient evidence for classifying hydroquinone as a suspected carcinogenic or mutagenic substance in humans. No increases in cancer rates were observed in an epidemiology study which looked at mortality among more than 800 persons employed primarily in the manufacture of hydroquinone. Carcinogenicity studies in animals were inconclusive. Rats and mice were given hydroquinone by stomach tube or at high concentrations in the diet. Responses were not consistent across route of exposure, species or sex. The International Agency for Research on Cancer (IARC) has classified hydroquinone in Group 3, i.e., "not classifiable" as a carcinogen. Hydroquinone is generally negative in bacterial mutagenicity tests; there is evidence for the clastogenicity (chromosome breakage) of hydroquinone in vivo and in vitro. The relevance of chromosomal effects in test animals in predicting human risk is unclear.

Contains: Bis(4-hydroxy-N-methylanilinium) sulphate. Based on animal data, may cause adverse effects on the following organs/systems: blood, kidney, spleen. Based on animal data this material can produce methemoglobin which, in sufficient concentration, causes cyanosis, a blue-gray discoloration of the skin and lips caused by a reduced ability of the blood to carry oxygen.

**Inhalation:** Expected to be a low hazard for recommended handling. In contact with strong acids or if heated, sulphites may liberate sulphur dioxide gas. Sulphur dioxide gas is irritating to the respiratory tract. Some asthmatics or hypersensitive individuals may experience difficult breathing.

Eyes: Causes eye irritation.

Skin: Causes skin irritation. May cause allergic skin reaction.

Revision Date: 12/12/2012 000000025621/Version: 1.5 Print Date: 02/14/2013

Page: 5/9

**Ingestion:** May be harmful if swallowed. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

#### Data for Sodium sulphite (CAS 7757-83-7):

#### **Acute Toxicity Data:**

Oral LD50 (rat): 820 mg/kg

- Inhalation LC50 (rat): > 22 mg/l / 1 hr
   Inhalation LC50 (rat): > 5.5 mg/l / 4 hr
- · Skin irritation: none
- · Eye irritation: slight; washing palliative

#### Data for Hydroquinone (CAS 123-31-9):

#### **Acute Toxicity Data:**

Oral LD50 (rat): 400 mg/kg

- Dermal LD50 (guinea pig): > 1,000 mg/kg
- Dermal absorption rate: 1.1 micrograms (s) / cm 2 / hour
- Skin irritation: slight
- Skin Sensitization (guinea pig): positive
- · Eye irritation: moderate

#### Mutagenicity/Genotoxicity Data:

- Salmonella typhimurium assay (Ames test): negative (in presence and absence of activation)
- Chromosomal aberration assay: negative (in absence of activation)
- Chromosomal aberration assay: positive (in presence of activation)
- Sister chromatid exchange (SCE) assay: positive (in presence and absence of activation)

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowest-observed-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

## Repeated dose toxicity:

- Dermal (17-day, rat): NOEL; 3800 mg/kg/day
- Dermal (17-day): Lowest observable effect level; 4800 mg/kg/day

#### **Developmental Toxicity Data:**

• Oral (female rabbit): NOEL for developmental toxicity; 25mg/kg/day

## Data for Bis(4-hydroxy-N-methylanilinium) sulphate (CAS 55-55-0):

#### **Acute Toxicity Data:**

Oral LD50 (rat): 237 mg/kg

- Oral LD50 (mouse): 565 mg/kg
- Dermal LD50 (guinea pig): > 1,000 mg/kg (highest dose tested)

Revision Date: 12/12/2012 000000025621/Version: 1.5 Print Date: 02/14/2013

Page: 6/9

Skin irritation: slight

- Skin irritation: slight to moderate (repeated skin application)
- · Skin Sensitization: positive
- Eye irritation (unwashed eyes): moderate to strong
- Eye irritation (washed eyes): slight

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowest-observed-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

#### Repeated dose toxicity:

- Oral (11 days): Lowest observable effect level; 1.0 % in diet (reduced feed intake, reduced body weight gain, target organ effects: red blood cell)
- Oral (11 days): NOEL; 0.1 % in diet

## 12. Ecological information

The following properties are ESTIMATED from the components of the preparations.

#### **Potential Toxicity:**

Toxicity to fish (LC50):

1 - 10 mg/l

Toxicity to daphnia (EC50):

10 - 100 mg/l

Persistence and degradability:

Readily biodegradable.

## 13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

#### 14. Transport information

Not regulated for all modes of transportation.

For more transportation information, go to: www.kodak.com/go/ship.

## 15. Regulatory information

#### Notification status

Revision Date: 12/12/2012 000000025621/Version: 1.5 Print Date: 02/14/2013

Page: 7/9

Regulatory List	Notification status		
TSCA	All listed		
DSL	All listed		
NDSL	None listed		
EINECS	All listed		
ELINCS	None listed		
NLP	None listed		
AICS	All listed		
IECS	All listed		
ENCS	All listed		
ECI	All listed		
NZIoC	All listed		
PICCS	All listed		

<sup>&</sup>quot;Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

## Other regulations

American Conference of Governmental Industrial Hygienists	A3 - Confirmed Animal Carcinogen
(ACGIH):	with Unknown Relevance to
	Humans: Hydroquinone

International Agency for Research on Cancer (IARC):

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

U.S. National Toxicology Program (NTP):

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

U.S. Occupational Safety and Health Administration (OSHA):

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Revision Date: 12/12/2012 000000025621/Version: 1.5 Print Date: 02/14/2013

Page: 8/9

,	age. 0/0	
	California Prop. 65	WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.
	U.S CERCLA/SARA (40 CFR § 302.4 Designation of hazardous substances):	Hydroquinone
	U.S CERCLA/SARA - Section 302 (40 CFR § 355 Appendices A and B - The List of Extremely Hazardous Substances and Their Threshold Planning Quantities):	Hydroquinone
	U.S CERCLA/SARA - Section 313 (40 CFR § 372.65 Toxic Chemical Release Reporting):	Hydroquinone
	U.S California - 8 CCR Section 339 - Director's List of Hazardous Substances:	No components found on the California Director's List of Hazardous Substances.
	U.S California - 8 CCR Section 5200-5220 - Specifically Regulated Carcinogens:	No components found on the California Specifically Regulated Carcinogens List.
	U.S California - 8 CCR Section 5203 Carcinogens:	No components found on the California Section 5203 Carcinogens List.
	U.S California - 8 CCR Section 5209 Carcinogens:	No components found on the California Section 5209 Carcinogens List.
	U.S Massachusetts - General Law Chapter 111F (MGL c 111F) - Hazardous Substances Disclosure by Employers (a.k.a. Right to Know Law):	No components regulated under the Massachusetts Hazardous Substances Disclosure by Employers Law.
	U.S Minnesota Employee Right-to-Know (5206.0400, Subpart 5. List of Hazardous Substances):	No components found on the Minnesota Employee Right-to- Know List of Hazardous Substances.
	U.S New Jersey - Worker and Community Right to Know Act (N.J.S.A. 34:5A-1):	No components regulated under the New Jersey Worker and Community Right-to-Know Act.
	U.S Pennsylvania - Part XIII. Worker and Community Right-to-Know Act (Chapter 323 Hazardous Substance List, Appendix A):	Water, Sodium sulphite, Hydroquinone

## 16. Other information

Revision Date: 12/12/2012 000000025621/Version: 1.5 Print Date: 02/14/2013

Page: 9/9

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

#### **US/Canadian Label Statements:**

KODAK Developer D-76, Working Solution

CONTAINS: Sodium sulphite (7757-83-7), Hydroquinone (123-31-9), Bis(4-hydroxy-N-methylanilinium) sulphate (55-55-0).

WARNING! CAUSES SKIN AND EYE IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION. MAY BE HARMFUL IF SWALLOWED.

Avoid breathing mist or vapour at concentrations greater than the exposure limits. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash thoroughly after handling. FIRST AID: If symptomatic, move to fresh air. Get medical attention if symptoms occur. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention. In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before re-use. Destroy or thoroughly clean contaminated shoes. If swallowed, DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately. Keep out of reach of children. Do not handle or use until safety precautions in Material Safety Data Sheet (MSDS) have been read and understood. Since emptied containers retain product residue, follow label warnings even after container is emptied. IN CASE OF FIRE: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. IN CASE OF SPILL: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Additional Components Include: Water (7732-18-5), Sodium tetraborate (1330-43-4).

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

R-1, S-2, F-0, C-0

		1 d 1 d 1 d 1 d 1 d 1 d 1 d 1 d 1 d 1 d